

QUOTATION



MRCA FIRE Ken Nelson Calabasas, CA 91302 818-880-4572 ken.nelson@mrca.ca.gov

Fouts Bros. Junior Ingram 2158 Atlanta Road Smyrna, GA 30080 1-800-948-5045 770-438-1404 jingram@foutsfire.com

Exp. Date: **Quote No:**

05/11/2018

Create Date:

04/11/2018

Rev. Date:

04/12/2018

06/28/2018

27389-0001

06/28/2018			Page 1
PART NO	DESCRIPTION	QTY	
00-BD-4201	FAMA Membership, Active	1 1	2-2652-2694-1-C-202604-1-C-150-10104
00-BD-1030	Terms of Payment, 100% at Delivery	1	
90-99-9996	Vehicle Pickup at Factory	1	
90-99-0215	Fuel/DEF Tnks, Full at Delivery	1	
10-25-0238	Ground Sweep Nozzles, Rear, (2), Elec, Single Valve	1	
	WARRANTY REQUIREMENTS	1	
00-WT-1001	General Warranty, (1) Year	1	
00-WT-1005	Structural Warranty, (10) Year	1	
00-WT-1010	Plumbing Warranty, Stainless Steel, (10) Year		
00-WT-1016	Paint Warranty, (5) Year, PPG		
00-WT-1020	Tank Warranty, UPF, Lifetime		
00-WT-1107	Electrical Warranty, (2) Year		
03-01-1121	Overall Height, 9'6"	1 '1	
03-01-1157	Overall Length, less than 28'	1	
03-01-1190	Overall Body Width< 96.00"	1 1	
03-01-1190	==== NO Overall Wheelbase Restriction - PTS ====	1	
03-01-1200		1	
	Angle of Approach, NFPA Minimum, 8 Degrees	1	
03-01-2115	Angle of Departure, NFPA Minimum, 8 Degrees	1	
	NFPA 1901-2016	1	
02-00-0020	NFPA 1901-2016 Compliance, Mobile Water Supply	1	
02-01-0015	Center of Gravity, Calculated		
02-02-1056	Road Test Certification	. 1	
10-10-8050	Vehicle Top Speed, 60 mph		
	Transfer operation in the contract of the cont	. '	
	PLACARDS and LABELING	1	
10-10-9175	Labels, Cab Safety	1	
10-10-9197	Label, Chassis Data Labels, 1901		į
10-10-9202	Label, No Ride	1	ř
10-10-9204	Label, Helmet Warning	1	
	COMMERCIAL CHASSIS	1	
02.06.4000	Chassis Communical Committee 12 5 5 5		
03-06-4008	Chassis, Commercial, Supplied By Fouts Bros.	1	
06-02-1305	2018, Freightliner, M2, 106, SA	1	
06-02-2351	Engine, Cummins ISL, 350hp, 1000 lb/ft 1400 rpm	1	
The second secon			

MRCA Attachment July 11, 2018 Agenda Item XIV

06/28/2018

00/20/2010	Quote No: 27389-0001		Agenda l
PART NO	DESCRIPTION	QTY	
06-02-2450	Exhaust Brake, Cummins	1	,
06-02-2460	Aux Engine Cooler for Fire Pump	1	
06-02-2475	Exhaust, Horizontal, RH Under cab, Exit Frwd Rear Tires	1	
06-02-2528	Alternator, Delco Remy, 40-SI, 275 Amp	1	
06-02-2575	Batteries, (2), Alliance 1231, GP31, 2250 CCA, Threaded Stud	1	
06-02-2600	Transmission, Allison 3000EVS, 5-Spd	1	
10-10-3320	Transmission Warranty, Allison, (5) yr, Unlimited Mileage		
06-03-2790	Front Axle, Meritor 16,000#, Single Front Drive	'	
06-03-3790	Front Suspension, Taperleaf, 16,00 #		
06-03-2826	Rear Axle, Meritor, 26,000#	!	
1		1	
06-03-4827	Rear Suspension, Leaf Spring w/ Helper, 26,000#	1	
06-03-5510	Brake System, ABS	1	
06-03-6705	Bumper, 3-Piece, 14" Chromed Steel, w/ Collapsile Ends	1	
06-03-6920	Fuel Tank, 50 Gal	1	
06-03-6959	Single Axle Tires and Wheels, M2 106	1	
06-04-3863	Frnt Tires, Goodyear G291 315/80R22.5 18 PLY	1 1	
06-04-3961	Rr Tires, Goodyear G182 RSD 11R22.5 16 PLY	1 1	
06-04-3981	Wheels, 22.5", Polished Alum	1 1	
06-03-7120	Cab, 2-Door - M2 106 - Single Axle	1 1	
06-03-7180	Cab Exterior	1 1	
06-03-7351	Windows, Manual	1 1	
06-03-7605	Mirrors, Dual West Coast, Bright Finish, Heated, Remote	1 1	
06-03-7190	Cab Interior	1 1	
06-03-7235	Power Supply, 12V Supplied w/ Chassis		
06-03-7264	Strng Wheel, Tilt/ Telescoping		
06-03-7451	Door Locks, Manual		
06-05-0050	Seating: Two Door		
06-05-1010	Drvr Seat, Seats Inc 911, HB Vinyl, Air	1 1	
06-05-1040	Pass Seat, Seats Inc 911, HB Vinyl	1 1	
06-05-1094	Seats Belts, Orange		
10-11-0160	Air Horns, (2) Stutter Tone, Hood Mntd		
10-11-0285		1	
10-11-0203	Air Horn Cntrl, M2, (2) Foot Switch	1	
	CHASSIS PAINT COLOR	1	
10-11-7335	Cab Paint, Sngl Color, White	1	
	TIRE PRESSURE MONITORING SYSTEMS	1	
		1 1	
10-10-9250	Tire Pressure Monitoring, Accu-Pressure Cap - 6 Wheel	1	
	WHEEL TRIM and COVERS	1	
10-13-1353	Wheel Trim, Single Axle, Chrome, Frnt Cvrs, Rr High Hats, & Lug Nut Cvrs	1	
	FRONT BUMPER	1	especial design
10-14-5116	Bumper Extension, 16", FL M2	1	3
10-14-5516	Bumper Gravelshield, 16"		
10-14-5516		1	1
10-14-6135	Frnt Bmpr Compt, Center	1	
10-14-6135	Cover, Treadplate Lid, Hinged	1	
10-14-021/	Hswell Capacity, 150' of 1.75" DJ Hose	1	
	FRAME PREP and MODIFICATIONS	1	
AND SECURITION OF THE PROPERTY			

06/28/2018

		00/20/2010	Quote No: 27389-0001		Agenda Ite
Tow Eyes, (2), Rear Frame Rail Tow Eyes, (2), Supplied w/ Chassis Rear Mud Flaps, (2), Fouts Logo		PART NO 10-14-7090	DESCRIPTION Front Tow Hooks, Chassis Supplied	QTY	
10-14-7301			Tow Eyes, (2), Rear Frame Rail	1	
			MUD FLAPS	1	
VEHICLE DATA RECORDER AND SEATBELT MONITOR SYS 10-10-9215 1 VDR and Seat Belt Warning, Class1 1 VDR Download Harness, Class1 1 VDR Download		1	Front Mud Flaps, (2) - Supplied w/ Chassis	1	
10-10-9215		10-14-7312	Rear Mud Flaps, (2), Fouts Logo	1	
10-10-9215					
I VDR Download Harness, Class1 CONSOLES and EQUIPMENT I Center Elec Console, Comm Tanker/ Pumper/ Rescue BATTERY SYSTEMS and SHORELINE PLUG-INS I Battery Jumper Studs I Battery Pet-Location, Compt R1 I Ignition Swtch, Keyless - Supplied w/ Chassis I Master Battery Disconnect Switch, w/ Chassis I Back Up Alarm, 97db I Back Up Alarm, 97db I Back Up Alarm, 97db I Pump Warranty, Hale, (5) Year I Pump Manuals, Elec, (2) I Pump Flow Rating, Hale, APS, 500 GPM I Pump Flow Rating, Hale, APS, 500 GPM I Pump Flow Rating, Hale, APS, 500 GPM I Pump Install, PTO, CJ/Solution/ Sidekick I PTO, Chelsea, 280-GMFJP-BSXD I Pump Panel I Cap, 5.00", NST, Ungated, LH Side, Pump Panel I Cap, 5.00", Chrome Long Hndl, Fouts Logo PUMP SHIFT, HALE, PTO I Gauge, Pump & Roll, Mstr Dischg, Noshok, 2.50", (0-400 psi), White Face, Cab PUMP EQUIPMENT I Caps, Plugs, Vented Intake Relief Valve, Hale Intake			VEHICLE DATA RECORDER AND SEATBELT MONITOR SYS	1	
CONSOLES and EQUIPMENT 10-49-0019		1		1	
Center Elec Console, Comm Tanker/ Pumper/ Rescue BATTERY SYSTEMS and SHORELINE PLUG-INS Battery Jumper Studs Battery Re-Location, Compt R1 Battery Bellow My Chassis Battery Disconnect Switch, w/ Chassis Master Battery Disconnect Switch, w/ Chassis Master Battery Disconnect Switch, w/ Chassis Back Up Alarm Back Up Alarm, 97db Pump Manuals, Elec, (2) Pump Manuals, Elec, (2) Pump Flow Rating, Hale, APS, 500 GPM Pump Install, PTO, Cy/Solution/ Sidekick Pump Install, PTO, Cy/Solution/ Sidekick PTO, Chelsea, 280-GMFJP-BSXD Intake, 5.00", NST, Ungated, LH Side, Pump Panel Cap, 5.00", Chrome Long Hndl, Fouts Logo Pump Shift, Elec, PTO, "Pump & Roll" Gauge, Pump & Roll, Mstr Dischg, Noshok, 2.50", (0-400 psi), White Face, Cab Threads, National Hose (NST) Caps, Plugs, Vented Caps, Plugs, Ve		10-10-9219		1	
BATTERY SYSTEMS and SHORELINE PLUG-INS			CONSOLES and EQUIPMENT	1	
10-10-9235		10-49-0019	Center Elec Console, Comm Tanker/ Pumper/ Rescue	1	
10-12-0022			BATTERY SYSTEMS and SHORELINE PLUG-INS	1	
10-12-1051		1		1	
Master Battery Disconnect Switch, w/ Chassis BACK UP ALARM				1	
10-49-0011				1 1	
10-15-5921			BACK UP ALARM	1	
Pump Warranty, Hale, (5) Year Pump Manuals, Elec, (2) Pump Manuals, Elec, (2) Pump Seal, Mechanical, Hale Pump Flow Rating, Hale, APS, 500 GPM Pump Flow Rating, Hale, APS, 500 GPM Pump Install, PTO, CJ/Solution/ Sidekick PTO, Chelsea, 280-GMFJP-B5XD PTO, Chelsea, 280-GMFJP-B5XD Cap, 5.00", NST, Ungated, LH Side, Pump Panel Cap, 5.00", Chrome Long Hndl, Fouts Logo PUMP SHIFT, HALE, PTO Pump Shift, Elec, PTO, "Pump & Roll" Gauge, Pump & Roll, Mstr Dischg, Noshok, 2.50", (0-400 psi), White Face, Cab PUMP EQUIPMENT Gauge, Pump & Side Kick Threads, National Hose (NST) Caps, Plugs, Vented Caps, Plugs, Vent		10-49-0011	Back Up Alarm, 97db	1	
Pump Manuals, Elec, (2)				1	
10-15-6822				1 1	
10-15-2875		10-15-6822	Pump Seal, Mechanical, Hale	1	
10-15-2901				1	
Intake, 5.00", NST, Ungated, LH Side, Pump Panel Cap, 5.00", Chrome Long Hndl, Fouts Logo Cap, 5.00", Chrome Long Hndl, Fouts Logo Pump Shift, Elec, PTO, "Pump & Roll" Gauge, Pump & Roll, Mstr Dischg, Noshok, 2.50", (0-400 psi), White Face, Cab Pump Shift, Elec, PTO, "Pump & Roll" Gauge, Pump & Roll, Mstr Dischg, Noshok, 2.50", (0-400 psi), White Face, Cab Threads, National Hose (NST) Caps, Plugs, Vented Threads, National Hose (NST) Threads, National Hose (NST) Threads, National Hose (NST) Threads, National Hose (NST) Caps, Plugs, Vented Threads, National Hose (NST) Threads				1 1	
Cap, 5.00", Chrome Long Hndl, Fouts Logo Cap, 5.00", Chrome Long Hndl, Fouts Logo Pump Shift, Elec, PTO, "Pump & Roll" Pump Shift, Elec, PTO, "Pump & Roll" Gauge, Pump & Roll, Mstr Dischg, Noshok, 2.50", (0-400 psi), White Face, Cab Pump Equipment Pump Shift, Elec, PTO, "Pump & Roll" Gauge, Pump & Roll, Mstr Dischg, Noshok, 2.50", (0-400 psi), White Face, Cab Pump Equipment			The state of the s	'	
PUMP SHIFT, HALE, PTO 10-17-0089 Pump Shift, Elec, PTO, "Pump & Roll" 10-25-2650 Gauge, Pump & Roll, Mstr Dischg, Noshok, 2.50", (0-400 psi), White Face, Cab PUMP EQUIPMENT 10-17-0111 Plumbing System, Hale, Side Kick Threads, National Hose (NST) Caps, Plugs, Vented Intake Relief Valve, Hale Pump Primer, Trident, Air			Intake, 5.00", NST, Ungated, LH Side, Pump Panel	1	
Pump Shift, Elec, PTO, "Pump & Roll" Gauge, Pump & Roll, Mstr Dischg, Noshok, 2.50", (0-400 psi), White Face, Cab Pump Equipment		10 20 0000		1	
10-25-2650 Gauge, Pump & Roll, Mstr Dischg, Noshok, 2.50", (0-400 psi), White Face, Cab PUMP EQUIPMENT 10-17-0111 Plumbing System, Hale, Side Kick Threads, National Hose (NST) Caps, Plugs, Vented 10-17-0254 Intake Relief Valve, Hale 10-17-0311 Pump Primer, Trident, Air				1	
Face, Cab PUMP EQUIPMENT 10-17-0111 Plumbing System, Hale, Side Kick 10-17-0131 Threads, National Hose (NST) 10-17-0135 Caps, Plugs, Vented 10-17-0254 Intake Relief Valve, Hale 10-17-0311 Pump Primer, Trident, Air	-			1	
10-17-0111 Plumbing System, Hale, Side Kick 10-17-0131 Threads, National Hose (NST) 10-17-0135 Caps, Plugs, Vented 10-17-0254 Intake Relief Valve, Hale 10-17-0311 Pump Primer, Trident, Air		10-25-2650	Gauge, Pump & Roll, Mstr Dischg, Noshok, 2.50", (0-400 psi), White Face, Cab	1	
10-17-0131			PUMP EQUIPMENT	1	
10-17-0135 Caps, Plugs, Vented 10-17-0254 Intake Relief Valve, Hale 10-17-0311 Pump Primer, Trident, Air				1	
10-17-0254 Intake Relief Valve, Hale 10-17-0311 Pump Primer, Trident, Air				1	
1	l	10-17-0254	Intake Relief Valve, Hale	1	
iviate Diam, Fale, 12 Fort, hotary				1	
		10-17-0447	Mater Drain, Hale, 12 Folt, Holary	1	

06/28/2018	Quote No: 27389-0001		Agenda
PART NO	DESCRIPTION PRESSURE GOVERNOR	QTY	
10-17-0840	Governor, Class1, Sentry, w/ Twister Throttle	1	
	GATED INTAKE(S), HALE	1	
PM-H4-9450 PO-CP-1025	Aux Suction, 2.50", LH Side, Pump Panel, Sidekick Plug, 2.50" Chrome, NST, w/ Chain	1 1	
	TANK TO PUMP VALVE(S), HALE	1	
PM-H4-7110	Tank to Pump, 3.00", Air, Sidekick	1	
	TANK FILL VALVE(S), HALE	1	
PM-H4-7527	Tank Fill Line, 2.00", Sidekick	1	
PM-H5-7005 PO-AB-3551 PO-AC-6000 PO-DR-6015 PO-GD-5058 PO-GD-5910 PY-DD-7075 PM-H5-8525 PO-AB-4508 PO-AC-0157 PO-DR-7010 PO-CP-2025	DISCHARGE, FRONT Discharge, Front, 1.50" w/ 2.00" Plmbg Vlv Mfger, Hale, (2.00") Vlv Cntrl, Pull Rod, LH Side, Locking, Class1 (Module) Drain, 0.75" Mnl, Class1, 1/4 Turn Gauge, Dschg, Class1, 2.50" 400# (Std) Gauge Bezels, Class1, Chrome Adapt, 2.00" NPTx 1.50" NST Mattydale Swivel, Inside Hosebox DISCHARGE, LH FRONT PANEL Dschg, 2.50", LH Side, Pump Panel, Front Vlv Mfger, Hale, (2.50") Vlv Cntrl, Swift Handle, LH Side, Pump Panel Drain, 0.75" Mnl, Class1, 1/4 Turn Cap, 2.50" Chrome, NST, w/ Chain	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	DISCHARGE, RH REAR SIDE	1	
PM-H5-8535 PO-AB-4508 PO-AC-0157 PO-DR-7010 PO-CP-2025	Dschg, 2.50", RH Side,I, Rear Vlv Mfger, Hale, (2.50") Vlv Cntrl, Swift Handle, LH Side, Pump Panel Drain, 0.75" MnI, Class1, 1/4 Turn Cap, 2.50" Chrome, NST, w/ Chain	1 1 1 1	
	DISCHARGE(S), CROSSLAYS	1	
PM-H5-8563 PO-01-H105 PO-AB-4505 PO-AC-0158 PO-DR-7010 PO-CS-6035 PM-H5-8569 PO-01-H105 PO-AB-4505 PO-AC-0158 PO-DR-7010	Crosslay Dschg #1- One (1) 1.75", Rear Tailboard Pre-Connect, Chicksan, 2.00" x 1.50" NST Vlv Mfger, Hale, (2.00") Vlv Cntrl, Pull Rod, LH Side, Locking Drain, 0.75" Mnl, Class1, 1/4 Turn Crsly Cap, 200' 1.75" DJ hose Crosslay Dschg #2- One (1) 1.75", Rear Tailboard Pre-Connect, Chicksan, 2.00" x 1.50" NST Vlv Mfger, Hale, (2.00") Vlv Cntrl, Pull Rod, LH Side, Locking Drain, 0.75" Mnl, Class1, 1/4 Turn	1 1 1 1 1 1 1 1 1 1 1 1	

MRCA Attachment July 11, 2018 genda Item XIV

06/28/2018

	06/28/2018	Quote No: 27389-0001		Agenda It
	PART NO	DESCRIPTION	QT\	Agenda it
	PO-CS-6235	Crsly Cap, 200' 1.75" DJ hose	1	74-1-4-1-5-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-
	PO-CS-0524	Crosslay Config, (2) Tailboard	1	
	PX-04-1550	Front Bmpr Monitor, Akron, Forestry, 3462, 300 GPM	1	
	PX-05-2180	Monitor Paint, Red	1 1	
	PX-05-2220	VIv Mfger, Akron, Gen II, (2.00"), Elec	1 1	1
	PX-05-2530	Monitor Control, Joystick	1	1
	PX-05-2540	==== NO Monitor Quick Disconnect - PTS ====	1 1	1
	PX-05-2566	Nozzle- Low Flow, Adjustable, 30, 60, 95, 125 gpm.		1
		1 1102210 2011 1011, Adjustable, 50, 60, 95, 125 gpm.	1	1
		DISCHARGE GAUGES		
		BIOONANGE GAOGES	1	
	10-17-5024	- Gauges Discharge Classet 2 FO! 400# Why Dill Law (044)		
İ	10 17 0024	Gauges, Discharge Class1, 2.50", 400#, Wht, Blk Ltrs (Std)	1	
		MACTER CAUCES		
		MASTER GAUGES	1	
	10 17 5100	1.0		
1	10-17-5100	Gauge, Master Press, Class1, 3.50", 0-400#, Wht, Blk Ltrs	1	
	10-17-5320	Gauge, Master Intake, Class1, 3.50", -30-400#, Wht, Blk Ltrs	1	
1		TANK LEVEL INDICATOR(S), TANKER	1	Į
	10-27-4210	Water Lvl Gauge, Class1 "ITL-40R", Red, LH Pump Panel	. 1	
1	10-27-4500	Water Lvl Gauge, Hale, Mini, Console	1	1
			1 '	
		PUMP ENCLOSURE	1	
			'	
1	10-20-9235	Pump Enclosure, Sidekick		ļ
	10-20-9332	Pump Panels, SS, 14 GA	1	
	10-20-9623		1	
	10-50-7750	Pump Panel Lt, LED, Strip, 1200 Lumens	1	
	10-50-7750	Lt, Cntrls, Switch on pump panel	1	
		WATER TANK		
		WATERTANK	1	
	10-30-2000	Water Tank, UPF Poly III, 2000 Gallon		
	UP-F1-0040	Fill Tower, Anti-Surge, 10.00" x 10.00", <3500 Gals	1	
	UP-F1-0058	Fill Tower, Lft, Frnt, Tank	1 1	
	UP-F1-0065		1	
	UP-F1-0005	Overflow Pipe, 6.00" I.D.	1 1	
		Sump, 4.00"	1 1	
	UP-F1-0078	Water Tank Clean-out & Plug, 4.00", w/ Flange Connection	1 1	
	UP-F1-0310	Notch, Rear Camera	1	
ı				
		HOSEBED - HOSEBED COVERS - DIVIDERS - HOSE LOAD	1	é
1.	ID Es			
	UP-F2-0021	Hose Bed, < 152.00"	1 1	200
	JP-F2-3010	Hose bed floor, groved, <152.00"	1 1	(
١	VC-67-2152	Hsbd Cvr, Vinyl, <160.00" L, <96.00" W, bungee w/ alum rope hook	i	
١	VC-70-0215	Vinyl Cover Color, Red	i	
		, , , , , , , , , , , , , , , , , , , ,	'	
		DUMP VALVE(S)	4	
		····· · · · · · · · · · · · · · · ·	1	ľ
1	10-36-0150	Tank Modification for Rear Square Dump		
	0-36-1000	Rear Dump Valve, 10" SS , Manual, 1050-34	1	
Ι.		1 1.35 55mp (airo, 10 00 , Manual, 1000-34	1	9
		DIRECT TANK FILL(S)	_	6
		DITECT TANK FILL(5)	1	4
1	0-37-0410	- Tank Modification Direct Tank Cill Description		
	0-37-1001	Tank Modification, Direct Tank Fill, Rear, LH Side, Std, 2.50" NPT	1	e E
' ا	0-37-1001	Direct Tank Fill, 2.50", Elkhart, LH Side, Rear	1	
NAME OF TAXABLE PARTY.				

06/28/2018

DART NO	Quote No: 27389-0001		Agenda Iter
PART NO 30-BC-C024	DESCRIPTION Plug, 2.50" Chrome, NST, w/ Chain	QT T	, and the same
10-37-0710	Tank Modification, Direct Tank Fill, Rear, RH Side, Std, 2.50" NPT	1	
10-37-1002	Direct Tank Fill, 2.50", Elkhart, RH Side, Rear		ļ
30-BC-C024	Plug, 2.50" Chrome, NST, w/ Chain	1 1	
	BODY CONSTRUCTION	1	
49-01-2200	Body, CJ Tanker, Single Axle		
10-40-1150	Compt. Floors, 3/16" Alum	1	
10-40-1160	Body Width, 96.00"	1	
10-40-1231	Fender Panels, Aluminum T/P	1 1	
10-40-1591	Compartmentation, Single Axle, CJ Series Tanker	1	
10-40-3030	L1, 30.00", Ahead Rr Whls - Low Comp't - Hnge Sgle Dr		
MD-O2-1003	Ahd Rr Whis, LH, Cmpt Provisions	1 1	6
MD-O5-3135	Cmpt Lt, Surface Mount, LED, 810 Imns, (1) Ea Cmpt	1	li li
MD-O5-6605	Cmpt Lt, Dr Swtch, Auto, Ea	1 1	
10-40-3074	R1, 70.00", Ahead Rr Whls - Low Comp't - Hnge Dble Drs	1 1	
MD-O5-3135 MD-O5-6605	Cmpt Lt, Surface Mount, LED, 810 lmns, (1) Ea Cmpt	1	
10-40-3080	Cmpt Lt, Dr Swtch, Auto, Ea L2, 24.00", Bhnd Rr Whls - Low Comp't - Hnge Sgle Dr	1	i i
MD-O5-3135	Cmpt Lt, Surface Mount, LED, 810 lmns, (1) Ea Cmpt	1 1	
MD-O5-6605	Cmpt Lt, Dr Swtch, Auto, Ea	1 1	
10-40-3090	R2, 24.00", Bhnd Rr Whls - Low Comp't - Hnge Sgle Dr	1	
MD-O5-3135	Cmpt Lt, Surface Mount, LED, 810 lmns, (1) Ea Cmpt	1	d d
MD-O5-6605 10-40-3178	Cmpt Lt, Dr Swtch, Auto, Ea	1	100
10-40-3178	Lower Cmpt Doors, Hinged	1	
	EQUIPMENT STORAGE - CJ SERIES TANKER, SINGLE AXLE		
	East MENT STOTIAGE - 60 SERIES TANKEN, SINGLE AXLE	1	
10-40-7001	Portable Tank Storage, RH Side, Above Compts.	1	
ST-BD-F21A ST-BD-SDF1	Portable Tank Capacity, 2100 Gallon, Alum	1	N .
10-40-7040	Portable Drop Tank Supplier, Manufacturer	1	8
PB-06-1570	Suction Hose Storage, LH Side, Above Compts. Hose Capacity, (2) 10' Sections	1	
ST-BD-STS1	Suction Hose Supplier, Manufacturer	1	(Special
		'	
	REAR BODY DESIGN - CJ SERIES TANKER - STANDARD	1	
10-44-0015	Rear Tailboard, 9.50" D, Hinged Top Step, w/ (2) Crosslays and Divider	1	
	REAR ACCESS STEPS - CJ TANKER	1	
10-44-5003	Steps, Rear, Folding, (3), FS-200 CHR	1	** ***
	EXTERIOR GRAB RAILS, CJ TANKER	1	
10-44-6029	Handrails, (2), Rear Step, Vert, 30.00"	1	
	ELECTRICAL	1	
10-48-0010	Flectrical 12V Tanker Class 1 FO Kan Contain		
10-48-1950	Electrical 12V, Tanker, Class1, ES-Key System NFPA Electrical System	1	
	, , , , , , , , , , , , , , , , , , , ,	1	
control control work to the control of the control			- 1

MRCA Attachment July 11, 2018 Agenda Item XIV

06/28/2018

06/28/2018	Quote No: 27389-0001	N. N	Agenda It
10-48-2015	Class1, Es-Key System	QTY	W. Carlotte
EL-ES-0124 EL-ES-1025	Switch Panel, Class1, 1Touch, 8 Pos Switch Panel Location, Console	1	
	GROUND LIGHTING	1	
10-49-0150 10-49-0155	Ground Lts, (2) Chassis, 2-Dr. LED Ground Lts, (2) Forward Rr Whls, LED	1	
10-49-0160 10-49-0165	Ground Lts, (2) Rr Step, LED Lt Swtch , Ground Lts w/ Park Brake	1 1	
	DOOR OPEN / HAZARD WARNING LIGHT INDICATOR SYSTEMS	1	
10-49-0017	Lht, Hazard, LED, Flashing, Red, Whln, OS	1	
	REAR DIRECTIONALS/ DOT LIGHTS	1	
10-49-0015 10-50-7008	Lht , License Plate, LED	1	
10-50-7050	Rear Brake/Tail/Turn/Backup, 4.00" Round, LED Turn Signal, Midship, (2), LED	1 1	
10-50-7350	Marker Lts, LED, DOT Required	1	
	SCENE LIGHTS, 12V	1	
10-53-3111 10-55-9002	Scn Lts, Upper Rr, Whln, 900, LED Bezel(s), Cast Alum	2 2	
10-53-3131 10-55-9002	Scn Lts, Upper RH, Whln, 900, LED Bezel(s), Cast Alum	2 2	
10-53-3151 10-55-9002	Scn Lts, Upper LH, Whln, 900, LED	2	
10-55-5051 10-55-5059	Bezel(s), Cast Alum Lt Cntrls, Scn Lt, Each side Separate	2	
10-55-5059	Lt, Cntrls, Scn Lt, Rear, Reverse		
10 50 0000	WARNING LIGHT PACKAGE, COMMERCIAL TANKER	1	
10-50-0020 10-50-0170	Warning light flash pattern, Default NFPA Warning Light Cntrls, All on Master	1 1	
	LIGHTBAR	1	
10-50-1205 LX-55-2151	Lht Bar, Whelen, Justice, JE2NFPA, 56.00", LED, 8 Red/ 2 White Lt Cntrls, Lt Bar, Mstr Swtch	1 1	
	UPPER LEVEL WARNING LIGHTS	1	
10-50-3601 10-55-9002	Wrn Lts, Upr Rr, Whln, 900 Super LED, Rd w/ Rd Lns Bezel(s), Cast Alum	2	\$
10-50-3675	Wrn Lts, Upr, LH Side, Whln, 900 Super LED, Rd w/ Rd Lns	2 2	
10-55-9002 10-50-3725	Bezel(s), Cast Alum Wrn Lts, Upr, RH Side, Whln, 900 Super LED, Rd w/ Rd Lns	2 2	
10-55-9002	Bezel(s), Cast Alum	2	
	LOWER LEVEL WARNING LIGHTS	1	
10-50-4205 10-55-9010	Wrn Lts, Whln, Lw Frnt, 600 Super LED, Rd w/ Rd Lns Bezel(s), Whelen, Chrome, 600	2 2	
	,		
			100

MRCA Attachment July 11, 2018 genda Item XIV

06/28/2018 Quote No: 27389-0001

PART NO	Quote No. 2/363-0001		Agenda Itei
10-50-4304	DESCRIPTION DESCRIPTION	QTY	BEST AND STREET THE STREET WAS A STREET OF STREET
	Wrn Lts, Whln, Intrstc, 600 Super LED, Red w/ Red Lns	2	
10-55-9010	Bezel(s), Whelen, Chrome, 600	2	
10-50-4405	Wrn Lts, Whln, Lw Mid Bdy, 600 Super LED, Rd w/ Rd Lns	2	
10-55-9030	Bezel(s), Whelen, Chrome, 600	2	
10-50-4605	Wrn Lts, Whln, Lw Rr, 600 Super LED, Rd w/ Rd Lns	2	
10-55-9030	Bezel(s), Whelen, Chrome, 600	2	:
	UPPER BEACONS	1	
10 50 5000	I Danier William Lot LED		
10-50-5006	Beacons, Whelen, L31, LED	1	
10-50-5050	Colors	1	į.
10-50-5060	LH Side, L31, Rd w/ Rd Lns	1	
10-50-5071	RH Side, L31, Rd w/ Rd Lns	1	d d
LJ-01-5051	Stanchions, (2), Alum	1	
	ALIDIDI E WADNING COMMEDCIAL TANKED		Į į
	AUDIBLE WARNING, COMMERCIAL TANKER	1	
10-50-6010	Siren, Whelen, 295SLSA1, 100/200 watt		
10-50-6250	Spkr, Fed Sig, 100 Watt, Dynamax, RH Side	1	
10-30-0230	1- Spar, Fed Sig, 100 Wall, Dynamax, RH Side	1	
	PAINT AND FINISH		
	I AIM AND I INION	1	
15-02-7900	Paint Finish, Wetside Tnkr, PPG DelfleetEvolution	1	
15-06-3000	Primer, Wetside Tanker		
15-25-0199	Compartment Interiors, Unfinished		I
15-30-1350	Wheel Rims, As Provided with Chassis	1	
	,	'	
	LETTERING AND STRIPING	1	
		1	
18-15-0050	Reflective Lettering, Direction of the Dept.	1 1	ě.
18-60-1000	Reflective Striping, Direction of the Dept.	1	į.
18-68-1200	Rear Chevron Striping, Red/ Fluorescent Yellow-Green	1	
18-78-3200	Accent Stripe, Tank Outline, Sides, 1/2", Gold	1	8
10-72-4402	Folding Tank, Husky, 2100 Gal, 22oz Red Vinyl Liner, Alum Frame	. 1	· ·
	· · · · · · · · · · · · · · · · · · ·		
	HARD SUCTION HOSE(S)	1	100
30-71-1050	Suction Hose, PVC, Kochek, 5.00"x10', LHF X RLM		
00 / 1 1000	Oddion 11036, 1 VO, Rocher, 5.00 XTO, EHF X HEIVI	2	
		· .	
		.	
			£.
			1
	Total		231,521.00

ALANO SHAPPET MRCA Attachment July 11, 2018 Agenda Item XIV

Cueto	Sale [Date: By ids		er#	ALAMO GROUP (T) ACIMO GROUP (T) A MEMBER OF ALAMO
Custo	mer Account#	-		Included	
Tracto	or Model & Year	Tractor Delivery Date CAB 2		Front Tire Sizes	
	Tractor D.	ild Shoot Poquired ROPS 4	WD □ I	Rear Tire Sizes	
Deale	r Commission YES	ild Sheet Required ROPS ☐ 4 ☐ NO ☑ If dealer/state commission due: Ar	District 1		
QTY	Item#			_ Terms:	
		Description	List Cost	Net Cost	Total
1	04773000	TraxxRF s/n ROBO0091400537			\$73,726.0
1	04773200	Brush and Sapling Head			\$8,088.00
1	TR478105	Spark Arrestor			\$455.00
1	TBD	Stump Grinder			\$12,655.0
1	4773550	Blade			\$5,272.00
1		Spiked Tracks	\$0.00		\$0.00
	00888893 Handling Fee \$250	Return Items Removed From Customer's Tractor During Installation	No 🖂	Yes 🗌	
	Freight	00888190 - Add 00888179 - Allow Pickup	1	1	
	Delivery	Loading Dock Yes No No			
	Office use	Immediate Invoice Delay Invoice		Total	\$100,196.0
eliver.	which V11CO to			1177 STOC 30 (1898)	
NO F SAFI SAPPI	PURCHASE ORDER ETY EQUIPMENT. ROXIMATE SHIPPI	THIS FORM IS NOT FIRM UNTIL CREDIT IS APPROVE AL IN SEGUIN TEXAS. WILL BE ACCEPTED FOR A MACHINE WITH LESS THOUGHT AND/OR DELIVERY DATES CAN BE CONFIRMED OF THE PROPERTY OF	HAN FULL ST.	ANDARD OR O	PTIONAL
SAFI SAFI SEGU OF A NOTE:	PURCHASE ORDER ETY EQUIPMENT. ROXIMATE SHIPPI JIN TEXAS AND D LAMO INDUSTRIA Sales Order and Quo	AL IN SECURITEXAS. WILL BE ACCEPTED FOR A MACHINE WITH LESS THE SECURITY DATES CAN BE CONFIRMED OF THE SECURITY OF THE SECURI	HAN FULL ST. ONLY BY ALA TO CONDITIO	ANDARD OR C AMO INDUSTR NS BEYOND I	PTIONAL IAL IN HE CONTRO
NO F SAFI SAFI SEGU OF A NOTE:) This s	PURCHASE ORDER ETY EQUIPMENT. ROXIMATE SHIPPI JIN TEXAS AND D LAMO INDUSTRIA Sales Order and Quo ining the Terms and Sales Order and Quo	AL IN SEGUIN TEXAS. R WILL BE ACCEPTED FOR A MACHINE WITH LESS THE NG AND/OR DELIVERY DATES CAN BE CONFIRMED OF ELIVERY IS SOMETIMES SUBJECT TO CHANGE DUE TO AL.	ONLY BY ALATO CONDITION TO CONDITION To age 3 this form you.	ANDARD OR C AMO INDUSTR ONS BEYOND T I. If you did not	PTIONAL IAL IN HE CONTRO receive page
S) NO F SAFE SAFE OF A NOTE:) This s contai) This s additi	PURCHASE ORDER ETY EQUIPMENT. ROXIMATE SHIPPI JIN TEXAS AND D LAMO INDUSTRIA Sales Order and Quo ining the Terms and Sales Order and Quo	AL IN SEGUIN TEXAS. WILL BE ACCEPTED FOR A MACHINE WITH LESS THE MILE ACCEPTED FOR A MACHINE WITH LESS THE MILE AND AND/OR DELIVERY DATES CAN BE CONFIRMED OF ELIVERY IS SOMETIMES SUBJECT TO CHANGE DUE TAL. It is a subject to the Terms and Conditions contained on properties of the Terms and Conditions, please contact seller so that we may send them to the Form expressly limits acceptance to the terms of this offer a in any response to this Sales Order & Quote form by the buyer.	ONLY BY ALL TO CONDITION Dage 3 this form you. and seller hereber, including but	ANDARD OR C AMO INDUSTR ONS BEYOND T I. If you did not	PTIONAL IAL IN HE CONTRO receive page
S) NO F SAFE SAFE OF A NOTE:) This s contai) This s additi	PURCHASE ORDER ETY EQUIPMENT. ROXIMATE SHIPPI JIN TEXAS AND D LAMO INDUSTRIA Sales Order and Quo ining the Terms and Sales Order and Quo onal terms contained	AL IN SEGUIN TEXAS. WILL BE ACCEPTED FOR A MACHINE WITH LESS THE MILE ACCEPTED FOR A MACHINE WITH LESS THE MILE AND AND/OR DELIVERY DATES CAN BE CONFIRMED OF ELIVERY IS SOMETIMES SUBJECT TO CHANGE DUE TAL. It is a subject to the Terms and Conditions contained on properties of the Terms and Conditions, please contact seller so that we may send them to the Form expressly limits acceptance to the terms of this offer a in any response to this Sales Order & Quote form by the buyer.	ONLY BY ALATO CONDITION TO CONDITION To age 3 this form you.	ANDARD OR C AMO INDUSTR ONS BEYOND T I. If you did not	PTIONAL IAL IN HE CONTRO receive page
S) NO F SAFE SAFE OF A NOTE:) This s contai) This s additi	PURCHASE ORDER ETY EQUIPMENT. ROXIMATE SHIPPI JIN TEXAS AND D LAMO INDUSTRIA Sales Order and Quo ining the Terms and Sales Order and Quo onal terms contained	AL IN SEGUIN TEXAS. WILL BE ACCEPTED FOR A MACHINE WITH LESS THE MILE ACCEPTED FOR A MACHINE WITH LESS THE MILE AND AND/OR DELIVERY DATES CAN BE CONFIRMED OF ELIVERY IS SOMETIMES SUBJECT TO CHANGE DUE TAL. It is a subject to the Terms and Conditions contained on properties of the Terms and Conditions, please contact seller so that we may send them to the Form expressly limits acceptance to the terms of this offer a in any response to this Sales Order & Quote form by the buyer.	ONLY BY ALL TO CONDITION Dage 3 this form you. and seller hereber, including but	ANDARD OR C AMO INDUSTR ONS BEYOND T I. If you did not	PTIONAL IAL IN HE CONTRO receive page

MRCA Attachment July 11, 2018 Agenda Item XIV

Cal-Line Equipment

13030 Firestone Blvd Santa Fe Springs, CA 90670

(562) 392-8522

Date	Invoice #
6/25/2018	102869

Bill To	Ship To	
Mountains Recreation and Fire Authority 570 W. Av. 26, Suite 100 Los Angeles, CA 90065		*

P.O. Number	Terms	Rep	Ship	Via	F.O.B.		Project
MRCA 4113	Due on deliv	rery TK	6/25/2018	Delvd	SFS		
Quantity	Item Code		Descript	ion	P	Price Each	Amount
FA	Freight ARB Fees Discount	Caterpillar C4.4 Imron White Pa Murphy PV380 NACD over cen High HP Drive Single 12,000 p 270 degree hydr manual 12" chip Hydraulic flow 2 1/2 pound fire In-Coming Freig ARB/DMV Reg CMAS Discount	panel with reversing ter (double plate clue System (139 to 174 ound leaf spring axludic controlled swite deflector control for feed whe extinguisher with nather	Tier 4 Final g auto feed atch) horsepower) e with electric brak wel discharge chute el rate adjustment nount Cal-line	e with	1,500.00 650.00 -7,345.00 8.75%	1,500.00 650.00 -7,345.00 5,802.47
ank you for your b	ousiness!				То	tal	\$74,057.47